HP PageWide XL 5000 Printer series



Powerful, efficient monochrome and color production with up to 30% savings in total production costs¹



LEAD

Fast delivery times in monochrome and color

- Up to 14 D/A1 pages/minute print speed, quick 30-second first page out
- Deliver mixed monochrome and color sets in 50% of the time with a consolidated workflow²
- Start printing in 50% of the time³—an ultra-fast processor, native PDF management, HP SmartStream software
- Free up the operator—production stacker/online folder. 4 up to 4 rolls, dual ink supplies with auto-switch

GROW

Fast color, excellent document quality

- Generate new business growth—print GIS map, point-of-sale (POS) poster applications at breakthrough speeds
- Set a new technical document standard with crisp lines, fine detail, and smooth grayscales that beat LED⁵
- HP PageWide XL pigment ink for dark blacks, vivid colors, moisture/fade resistance—even on uncoated bond6
- Print on a wide range of media up to 40 inches/101.6 cm covering ISO/US technical and offset standards⁷

SAVE

Cut total production costs up to 30%1

- Print monochrome and color technical documents at the same or lower cost than comparable LED printers⁸
- Do it all with one space-saving device for both monochrome and color, or opt for the MFP to print/scan/copy
- Cut job preparation and finishing costs up to 50%²
- See up to 5 times lower energy consumption than comparable LED printers9

Eco Highlights

- Save paper with automatic print settings and image nesting ENERGY STAR® certified and EPEAT Silver registered¹
- Free, convenient HP ink cartridge recycling
- FSC®-certified papers,³ range of recyclable HP media





- EPEAT registered where applicable and/or supported. See epeat.net for registration status and rating by country
- Program availability varies. Please check <u>hp.com/recycle</u> for details.
 BMG trademark license code FSC*-C115319, see <u>fsc.org</u>, HP trademark license code FSC*-C017543, see <u>fsc.org</u>, Not all
 FSC*-certified products are available in all regions. For information about HP large format printing materials, please visit

Please recycle large-format printing hardware and printing supplies.

Find out how at our website

For more information, please visit hp.com/go/pagewidexl/5000series















Beat record delivery with consolidated workflows—produce mixed monochrome and color sets in 50% of the time.² Achieve up to 30% savings in total production costs.¹ Save space and trim workflow cost with a single device for monochrome and color, or print/scan/copy with a multifunction printer.

HP PageWide Technology

The HP PageWide XL 5000 Printer series includes a stationary 40-inch (101.6-cm) printbar that spans the whole printing width. As paper moves under the printbar, the entire page is printed in one pass, enabling very high printing speeds.

HP PageWide XL pigment ink for HP PageWide XL printers

HP PageWide XL pigment ink is specially designed to provide reliable and dependable operation with HP PageWide XL printers and produce high-quality output:

- Dark blacks and vivid colors on a range of media including uncoated bond papers
- Moisture- and fade-resistant prints⁶

Proven technology for reliable operation

Designed for mid-volume production, the HP PageWide XL 5000 Printer series is based on proven HP PageWide Technology, currently powering HP PageWide Web Presses—producing 4 billion impressions monthly—and HP X series business printers.

HP 841 PageWide XL Printheads provide reliable and long-life operation, with an average life per printhead of 32 liters.


Save time and reduce complexity by consolidating your monochrome and color workflows

Get away from the complex and lengthy process in which color and monochrome pages must be manually separated by an operator, who must then send color and monochrome to two different printers, and then finally manually collate the color and monochrome pages together.

Now you can consolidate your workflow by delivering mixed monochrome and color sets that help to contribute to up to 30% savings in total production costs.¹



8 HP PageWide XL ink cartridges (2 x 400-ml per color with auto-switch)



Print fast, deliver faster

- 1. Using HP SmartStream Preflight Manager, jobs can be prepared in 50% of the time³
- **2.** With an ultra-fast processor and the embedded Adobe PDF Print Engine 3,¹⁰ HP PageWide XL printers are designed for quick processing, including the most complex jobs
- 3. Print up to 14 D/A1 pages/minute in monochrome and color
- **4.** Reduce the wait for short jobs with a quick, 30-second first page out

Set a new quality standard for technical documents

HP 841 PageWide XL Printheads, working with HP PageWide XL pigment ink, are designed to produce durable and high-quality output with dark blacks and vivid colors.

Accurate and reliable dot placement results in crisp lines, fine detail, and smooth grayscales. HP PageWide XL printers do not apply heat to the paper as part of the printing process, enabling very high levels of length accuracy ($\pm 0.1\%$).

5. High-capacity output solutions specially designed to keep up with HP PageWide XL print

speeds (high-capacity stacker and online folder).4

Save space and trim workflow cost with a single device for monochrome and color, or print/scan/copy with a multifunction printer



output path.4

Technical specifications

| Description | Large-format color MFP or printer |
|--|--|
| Technology | HP PageWide Technology |
| Applications | Line drawings, Maps, Orthophotos, Posters |
| | Pigment-based (cyan, magenta, yellow, black) 8 (2x 400-ml per color) with auto-switch |
| | 8x HP 841 PageWide XL Printheads |
| | 32 liters 10 liters or 12 months from installation |
| Printhead warranty | |
| Print resolution | 1200 x 1200 dpi |
| Minimum line width | 0.02 mm (0.0008 in) (HP-GL/2 addressable) |
| Guaranteed minimum line width | 0.085 mm (0.0033 in) (ISO/IEC 13660:2001(E)) ¹¹ |
| | +/- 0.1%12 |
| Maximum print speed | 9 m/min (27.8 ft/min) |
| A1/Arch D/ANSI D (long edge first) | 14 pages/min, 600 pages/h |
| A0/Arch E/ANSI E (short edge first) | 7 pages/min, 300 pages/h |
| ISO B1 (long edge first) | 10 pages/min, 500 pages/h |
| Warm-up time | No warm up |
| First page out | 30 sec (from Ready mode) |
| Media rolls | 2 rolls default with auto-switching, expandable to 4 rolls |
| Roll width | 279 to 1016 mm (11 to 40 in) |
| Roll length | Up to 200 m (650 ft) |
| | Up to 177 mm (7 in) |
| | 7.6 cm (3 in) |
| Printable width | Up to 1000 mm (39.4 in) |
| | Up to 90 m (295 ft) for CAD and 30 m (98 ft) for poster |
| | 70 to 200 g/m² (19 to 53 lb) |
| | Up to 0.4 mm (15.7 mil) |
| | Bond and recycled papers, poster papers, polypropylene, tyve |
| | Basket |
| | High-capacity stacker, ⁴ online folder, ⁴ top stacker ¹⁴ |
| | 102 x 122 cm (40 x 48 in) ¹⁵ |
| | Up to 500 pages 70 to 200 g/m² (19 to 53 lb) |
| | 101 x 125 x 108 cm (55.6 x 49.1 x 42.6 in) |
| | 140 kg (308 lb) |
| | 28 to 91.4 cm (11 to 36 in) |
| | Cross fold: 2.5 m (8.2 ft) |
| r age terrigen | Fan fold: 6 m (19.7 ft) (standard), unlimited (optional with |
| | HP PageWide XL Folder Upgrade Kit for Long Plots ¹⁶) |
| | |
| | 75 to 200 g/m² (20 to 53 lb) |
| | H- 4- 150 (AO) |
| | Up to 150 (A0) 1626 x 1245 x 1842 mm (64 x 49 x 72.5 in) |
| DITTELIZIONS | (1626 x 1245 x 1642 Hill (64 x 49 x 72.5 H) (1626 x 1245 x 2150 mm with Tab applicator (64 x 49 x 84.6 in) |
| Weight | 310 kg (683 lb), (350 kg (772 lb) with Tab applicator) |
| Tab applicator | Available with HP PageWide XL Folder with Tab applicator only |
| | |
| Description | |
| Description Speed | 36-in (91-cm) CIS scanner |
| | |
| | 36-in (91-cm) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi |
| Speed | 36-in (91-cm) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi |
| Speed Optical resolution | 36-in (91-cm) CI5 scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi |
| Speed Optical resolution Scan width | 36-in (91-cm) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) |
| Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length | 36-in (91-cm) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.48 in) 18000 mm (708.66 in) (IPEF, 24-in wide original at 200 dpi), 8000 mm (314.96 in) (IPEG), 5000 mm (196.85 in) (PDF) |
| Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format | 36-in (91-cm) CI5 scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.48 in) 18000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (314.96 in) (JPEG), 5000 mm (196.85 in) (PDF) Standard: JPEG, TIFF: optional: PDF 1.7, multi-page PDF 1.7 (with PS/PDF upgrade) |
| Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features | 36-in (91-cm) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.48 in) 18000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (314.96 in) (UPEG), 5000 mm (196.85 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.7, multi-page PDF 1.7 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning |
| Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format | 36-in (91-cm) CI5 scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.48 in) 18000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (314.96 in) (UPEG), 5000 mm (196.85 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.7, multi-page PDF 1.7 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP |
| Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination | 36-in (91-cm) CI5 scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.48 in) 18000 mm (374.48 in) 18000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (314.96 in) (JPEG), 5000 mm (196.85 in) (PDF) Standard: JPEG, TIFF: optional: PDF 1.7, multi-page PDF 1.7 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP Smart Stream software |
| Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor | 36-in (91-cm) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.48 in) 18000 mm (708.66 in) (ITIFF, 24-in wide original at 200 dpi), 8000 mm (314.96 in) (JPEG), 5000 mm (196.85 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.7, multi-page PDF 1.7 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 |
| Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory | 36-in (91-cm) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.48 in) 18000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (14.96 in) (JPEG), 5000 mm (196.85 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.7, multi-page PDF 1.7 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3 |
| Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory Hard drive | 36-in (91-cm) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.48 in) 18000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (374.96 in) (JPEG), 5000 mm (196.85 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.7, multi-page PDF 1.7 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USS, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3 1x 500 GB HDD, self-encrypted with AES-256 |
| Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory Hard drive Print languages | 36-in (91-cm) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.48 in) 18000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (14.96 in) (JPEG), 5000 mm (196.85 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.7, multi-page PDF 1.7 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3 |
| Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory Hard drive | 36-in (91-cm) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.48 in) 18000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (7108.65 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (196.85 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.7, multi-page PDF 1.7 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3 1x 500 GB HDD, self-encrypted with AES-256 HP-GL/2, PCL 3 Win |
| Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory Hard drive Print languages (standard) | 36-in (91-cm) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 9.26 mm (0.01 in) 9512 mm (374.48 in) 18000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (374.96 in) (JPEG), 5000 mm (196.85 in) (JPDF) Standard: JPEG, TIFF; optional: PDF 1.7, multi-page PDF 1.7 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USS, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3 1x 500 GB HDD, self-encrypted with AES-256 |
| Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory Hard drive Print languages (standard) Print languages | 36-in (91-cm) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.48 in) 18000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 80000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (314.96 in) (UPEG), 5000 mm (196.85 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.7, multi-page PDF 1.7 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3 1x 500 GB HDD, self-encrypted with AES-256 HP-GLZ, PCL 3 Win Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG (with PS/PDF upgrade) HP Partner Link, HP Embedded Web Server, HP Web Jetadmin |
| Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory Hard drive Print languages (optional) Remote management Interfaces | 36-in (91-cm) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 9.26 mm (0.01 in) 9512 mm (374.48 in) 18000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (374.96 in) (JPEG), 5000 mm (196.85 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.7, multi-page PDF 1.7 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USS, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core 13 8 GB DDR3 1x 500 GB HDD, self-encrypted with AES-256 HP-GL/2, PCL 3 Win Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG (with PS/PDF upgrade) HP Partner Link, HP Embedded Web Server, HP Web Jetadmin TCP/IP, BootP/DHCP, USB 2.0 host (certified) |
| Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory Hard drive Print languages (standard) Print languages (optional) Remote management | 36-in (91-cm) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.48 in) 18000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (708.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (719.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (719.66 in) (TIFF, 24-in wide original at 200 dpi), 8000 mm (196.85 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.7, multi-page PDF 1.7 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3 1x 500 GB HDD, self-encrypted with AES-256 HP-GL/2, PCL 3 Win Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG (with PS/PDF upgrade) HP Partner Link, HP Embedded Web Server, HP Web Jetadmin |
| | Ink types Ink cartridges Printheads Average printhead life Printhead warranty Print resolution Minimum line width Guaranteed minimum line width Line accuracy Maximum print speed A1/Arch D/ANSI D (long edge first) A0/Arch E/ANSI E (short edge first) Warm-up time First page out Media rolls Roll width Roll length Roll diameter Roll core diameter |

- Production costs savings based on an HP PageWide XL 5000 Printer compared with a combination of a mid-volume monochrome LED printer and a mid-volume color production printer (both under \$40,000 USD) as of April, 2015. Production costs consist of supplies and service costs, printer energy costs, and operator costs. For testing criteria, see hp.com/go/pagewidexlclaims.

 Based on internal HP testing on the HP PageWide XL 5000 Printer compared to preparing and printing the job on two different printers (one comparable monochrome mid-volume LED printer for the monochrome pages and one color printer for the color pages). For testing criteria, see hp.com/go/pagewidexlclaims.

 Using HP SmartStream software compared with using equivalent software programs. For testing criteria, see hp.com/go/pagewidexlclaims.

 The HP PageWide XL High-capacity Stacker, available as of November 2016, and the HP PageWide XL Folder are optional accessories.

 For output produced with HP PageWide XL printers and LED printers from different manufacturers and that represent

- optional accessories.

 For output produced with HP PageWide XL printers and LED printers from different manufacturers and that represent greater than 50% of the annual shipments of LED printers in North America as of 2014 according to IDC. For testing criteria, see https://docs.org/10/2009/pagewidex.claims.

 Compared to prints produced with HP 970/971/980 inks that are fade and moisture resistant per ISO 11798 Permanence and Durability Methods certification. For testing criteria, see https://docs.org/10/2009/pagewidex.claims.

 SIO/US technical and offset standards include American ANSI and Architectural page size standards, ISO A technical document standard, and ISO B offset page size standard.

 Based on supplies and service costs. Monochrome technical document printing costs for comparable mid-volume LED printers in bed and 13 D/IA printers is based on printers for large-format printing of technical documents at speeds between 8 and 13 D/IA printers in the US and Europe in 2014 according to IDC. Color technical document printing costs for comparable mid-volume LeD printers in the US and Europe in 2014 according to IDC. Color technical document printing costs for comparable mid-volume LeD printers in the US and Europe in 2014 according to IDC. Color technical document printing costs for comparable mid-volume LeD printers in the US and Europe in 2014 according to IDC. Color technical document printing costs for comparable mid-volume LeD printers in the US and Europe in 2014 according to IDC.

| User interface | User interface | 8-inch capacitive touchscreen |
|----------------|----------------------------|--|
| Dimensions | Printer | 1960 x 800 x 1303 mm (77.2 x 31.5 x 51.3 in) |
| | Shipping | 2180 x 1068 x 1764 mm (86.8 x 42.1 x 69.5 in) |
| Weight | Printer | 430 kg (948 lb) |
| | Shipping | 521 kg (1148 lb) |
| Environmental | Operating temperature | 5 to 40°C (41 to 104°F) |
| | Recommended temperature | 15 to 35°C (59 to 95°F) |
| | Operating humidity | 20 to 80% RH, depending on media type |
| | Sound pressure | 53 dB(A) (printing), 35 dB(A) (ready), <24 dB(A) (sleep) |
| | Sound power | 7.1 B(A) (printing), 5.2 B(A) (ready), 4.2 B(A) (sleep) |
| Power | Consumption | 0.46 kW (typical); 0.8 kW (max printing); 108.4 watts (ready); < 1 watts (< 4.6 watts with embedded Digital Front End) (sleep) |
| | Requirements | Input voltage (auto ranging) 100-127/200-240 ± 10% VAC, 50/60 ±3 Hz, 10/5 A |
| Certification | Safety | IEC 60950-1+A1+A2 compliant; USA and Canada (CSA listed); EU (LVD and EN 60950-1 compliant); Russia, Belarus, and Kazakhstan (EAC) |
| | Electromagnetic | Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCCI), Korea (KC) |
| | Environmental | ENERGY STAR, EPEAT Silver, CE marking (including RoHS, WEEE, REACH). In compliance with WW RoHS materials restriction requirements in China, Korea, India, Vietnam, Turkey, Serbia, and Ukraine. |
| Warranty | 90 days | |

Ordering information

| Product | CZ310A | HP PageWide XL 5000 40-in Printer |
|---|----------|---|
| | CZ311A | HP PageWide XL 5000 40-in Multifunction Printer |
| Accessories | CZ317A | HP PageWide XL PostScript/PDF Upgrade Kit |
| | CZ318A | HP PageWide XL Drawer |
| | CZ319A | HP PageWide XL High-capacity Stacker ⁴ |
| | CZ320A | HP PageWide XL Top Stacker ¹⁴ |
| | G6H50A | HP DesignJet SD Pro Scanner |
| | G6H51A | HP DesignJet HD Pro Scanner |
| | K5H75A | HP PageWide XL Folder |
| | L3J69AAE | HP SmartStream Preflight Manager |
| | L3J71AAE | HP SmartStream Preflight Manager One-Year Subscription |
| | L3J74AAE | HP SmartStream Print Controller for HP PageWide XL 5000 Printer series |
| | L3M58A | HP PageWide XL Folder with Tab Applicator |
| | M0V04A | HP PageWide XL Folder Upgrade Kit for Long Plots16 |
| Original HP PageWide XL printheads and consumables | C1Q19A | HP 841 PageWide XL Printhead |
| | F9J47A | HP 841 PageWide XL Cleaning Container |
| | F9J48A | HP 841 PageWide XL Maintenance Cartridge |
| Original HP PageWide XL ink cartridges | C1Q65A | HP 843C 400-ml Black PageWide XL Ink Cartridge |
| | C1Q66A | HP 843C 400-ml Cyan PageWide XL Ink Cartridge |
| | C1Q67A | HP 843C 400-ml Magenta PageWide XL Ink Cartridge |
| | C1Q68A | HP 843C 400-ml Yellow PageWide XL Ink Cartridge |
| Original HP large format | L4L08A | HP Universal Bond Paper, 3-in Core (FSC® certified) ¹⁷ |
| printing materials | L5P98A | HP Production Matte Poster Paper, 3-in Core (FSC® certified) ¹⁷ 1016 mm x 91.4 m (40 in x 300 ft) |
| | L5Q03A | HP Production Satin Poster Paper, 3-in Core (FSC® certified) ¹⁷ |
| | L5C80A | HP Universal Heavyweight Coated Paper, 3-in Core (FSC® certified) ¹⁷ |
| | L6B19A | HP Matte Polypropylene, 3-in Core 1016 mm x 45.7 m (40 in x 150 ft) |

Enjoy best-in-class support services, knowing HP works with HP PageWide XL Channel Partners to enable them to be properly trained, certified, and equipped to meet your needs. With efficient support and innovative support features, such as printer self-monitoring, predefined resolution paths, and intuitive maintenance wizards, you can work with confidence every day. For more information, please visit https://doi.org/10.1081/ncm/go/pagewidexlservice.

HP Financial Services can help you acquire an HP PageWide XL printing solution and accelerate the benefits to your business. Our solutions can help you increase your flexibility by preserving cash, freeing up budgets with a monthly payment structure, and offering an easy option to upgrade to the latest model when your business is ready. For more information, please visit https://example.com/ hpfinancialservices

- on printers capable of printing 4 D/A1 pages per minute or more and under \$50,000 USD for large-format printing of technical documents as of April, 2015 and representing more than 80% of the market in the US and Europe in 2014 according to IDC. For testing criteria, see <a href="https://documents.org/linear-per-format-printing-for-a-per-format-printing-for-a-per-format-printing-for-a-per-format-for-a-per-for-a-
- The Measured on HP Universal Bond Paper.

 14-0-18 of the specified vector length or 4/-0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Matte Polypropylene and Original HP inks.

 15 For longer plots (up to 656 ft), image quality might be affected.

 16 Validable as of January 2016.

- 15 Long plots with reduced capacity.
 16 Available as of November 2015.
 17 BMG trademark license code FSC®-C115319, see fsc.org. HP trademark license code FSC®-C017543, see fsc.org. Not all FSC®-certified products are available in all regions. For information about HP large format printing materials, please visit HPLFMedia.com.

© Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

 ${\tt ENERGY\,STAR\,and\,the\,ENERGY\,STAR\,mark\,are\,registered\,trademarks\,owned\,by\,the\,U.S.\,Environmental\,Protection\,Agency.}$

Adobe, PostScript, and Adobe PostScript 3 are trademarks of Adobe Systems Incorporated. Intel and the Intel Inside logo are trademarks of Intel Corporation in the U.S. and other countries. Windows is a U.S. registered trademark of Microsoft Corporation. Mac and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries.

